

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	6673	(write near3 (amplifier or amplify\$3)) and ((sense or read\$3) near3 (amplifier or amplify\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:58
L4	6121	(write near3 (amplifier or amplify\$3)) same ((sense or read\$3) near3 (amplifier or amplify\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:58
L5	4022	4 same (memory or cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:59
L6	3453	5 and ((data or bit or symbol or transmission) near3 (bus or line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:19
L7	2297	5 same ((data or bit or symbol or transmission) near3 (bus or line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:15
L8	121985	(precharg\$3 or pre-charg\$3 or switch\$3) same ((data or bit or symbol or transmission) near3 (bus or line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:13
L9	2352	5 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:03
L10	784	5 same 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:03

L11	99	10 and (ISI or (intersymbol adj interference) or (noise near3 (reduc\$3 or reduction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:05
L12	264	9 and (ISI or (intersymbol adj interference) or (noise near3 (reduc\$3 or reduction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:06
L13	10345	(state near3 (current or next or standby or previous)) with (active or activat\$3 or inactive or inactivat\$3 or deactive or deactivat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:16
L14	262	4 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:11
L15	152887	(row or column) with (memory or cell or register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:12
L16	20465	15 same switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:14
L17	11694	16 and ((data or bit or symbol or transmission) near3 (bus or line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:15
L18	24943	15 same (active or activat\$3 or inactive or inactivat\$3 or deactive or deactivat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:26

L19	4729	17 and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:17
L20	470805	(switch\$3 or select\$3) near5 (bus or line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:21
L21	4220	19 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:20
L22	4106	21 and ((row or column) with (bus or line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:24
L23	1495	21 and ((row or column) with bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:25
L24	1090	23 and ((time or timing or period) with (active or activat\$3 or inactive or inactivat\$3 or deactive or deactivat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:28
L25	1095	23 and ((row or column) same (time or timing or period) same (active or activat\$3 or inactive or inactivat\$3 or deactive or deactivat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:29
L26	682	23 and ((row or column) with (time or timing or period) with (active or activat\$3 or inactive or inactivat\$3 or deactive or deactivat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 16:30